

Tellewoyan Hospital No FHR abnormality detected and Apgar at 5 mins >6 N = 872

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
1.	1	32		7	10	VD	no		no		
2.	2	31		9	10	VD	no		no		
3.	3	34		9	10	VD	no		no		
4.	4	35		8	9	VD	no		no		
5.	5	37		9	10	VD	no		no		
6.	6	37		9	10	VD	no		no		
7.	7	35		8	9	VD	no		no		
8.	8	34		9	10	VD	no		no		
9.	9	36		9	10	VD	no		no		
10.	10	33		9	10	VD	no		no		
11.	11	33		9	10	VD	no		no		
12.	12	29		9	10	VD	no		no		
13.	13	37		9	10	VD	no		no		
14.	14	39		9	10	VD	no		no		
15.	15	32		8	10	VD	no		no		
16.	16	34		9	10	VD	no		no		
17.	17	32	Aged 16	9	10	VD	no		no		
18.	18	35		8	10	VD	no		no		
19.	19	34		9	10	VD	no		no		
20.	20	34		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
21.	21	34		8	10	VD	no		no		
22.	22	36		9	10	VD	no		no		
23.	23	37		9	10	VD	no		no		
24.	24	32		9	10	VD	no		no		
25.	25	35		9	10	VD	no		no		
26.	26	26		9	10	VD	no		no		
27.	27	36		9	10	VD	no		no		
28.	28	31		9	10	VD	no		no		
29.	29	33		9	10	VD	no		no		
30.	30	31		8	10	VD	no		no		
31.	31	32		9	10	VD	no		no		
32.	32	34		9	10	VD	no		no		
33.	33	34		9	10	VD	no		no		
34.	34	35		9	10	VD	no		no		
35.	35	34		9	10	VD	no		no		
36.	36	34		9	10	VD	no		no		
37.	37	36		9	10	VD	no		no		
38.	38	37		9	10	VD	no		no		
39.	39	28		9	10	VD	no		no		
40.	40	36		9	10	VD	no		no		
41.	41	34		8	10	VD	no		no		
42.	42	36		9	10	VD	no		no		
43.	43	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
44.	44	33		9	10	VD	no		no		
45.	45	35		9	10	VD	no		no		
46.	46	34		9	10	VD	no		no		
47.	47	35		9	10	VD	no		no		
48.	48	33		9	10	VD	no		no		
49.	49	34		9	10	VD	no		no		
50.	50	36		9	10	VD	no		no		
51.	51	34		9	10	VD	no		no		
52.	52	36		9	10	VD	no		no		
53.	53	31		8	10	VD	no		no		
54.	54	34		9	10	VD	no		no		
55.	55	31		9	10	VD	no		no		
56.	56	34		9	10	VD	no		no		
57.	57	36		9	10	VD	no		no		
58.	58	34		8	10	VD	no		no		
59.	59	35		9	10	VD	no		no		
60.	60	39		9	10	VD	no		no		
61.	61	36		9	10	VD	no		no		
62.	62	32		9	10	VD	no		no		
63.	63	34		9	10	VD	no		no		
64.	64	34		9	10	VD	no		no		
65.	65	35		9	10	VD	no		no		
66.	66	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
67.	67	35		9	10	VD	no		no		
68.	68	35		9	10	VD	no		no		
69.	69	34		8	10	VD	no		no		
70.	70	34		9	10	VD	no		no		
71.	71	34		8	10	VD	no		no		
72.	72	32		9	10	VD	no		no		
73.	75	26	CPD Hydramnias PROM	7	8	CS	Yes	21mins	Yes. Risk for sepsis, moderate asphyxia 5days How long?	No	Mild BA
74.	76	33		9	10	VD	no		no		
75.	77	33		9	10	VD	no		no		
76.	78	31		8	10	VD	no		no		
77.	79	33		9	10	VD	no		no		
78.	80	31		9	10	VD	no		no		
79.	81	39		9	10	VD	no		no		
80.	82	35		8	10	VD	no		no		
81.	83	31		8	10	VD	no		no		
82.	84	35		9	10	VD	no		no		
83.	85	30		9	10	VD	no		no		
84.	86	34		9	10	VD	no		no		
85.	87	34		9	10	VD	no		no		
86.	88	39		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
87.	89	29	obstructed labour Malposition LOTP	8	10	CS	no		no		
88.	90	35		9	10	VD	no		no		
89.	91	36		8	10	VD	no		no		
90.	92	26		8	10	VD	no		no		
91.	93	30		8	10	VD	no		no		
92.	94	31		8	10	VD	no		no		
93.	95	35		9	10	VD	no		no		
94.	96	33		9	10	VD	no		no		
95.	97	39		8	10	VD	no		no		
96.	98	34		9	10	VD	no		no		
97.	99	32		9	10	VD	no		no		
98.	100	40		8	10	VD	no		no		
99.	101	37		9	10	VD	no		no		
100	102	38		8	10	VD	no		no		
101	103	42		9	10	VD	no		no		
102	104	28		9	10	VD	no		no		
103	105	40		8	10	VD	no		no		
104	106	39		8	10	VD	no		no		
105	107	33		9	10	VD	no		no		
106	108	34		9	10	VD	no		no		
107	109	38		8	10	VD	no		no		
108	110	36		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
109	111	43		8	10	VD	no		no		
110	112	38		8	10	VD	no		no		
111	113	33		8	10	CS - CPD	no		no		
112	114	34		9	10	VD	no		no		
113	115	31		9	10	VD	no		no		
114	116	31		9	10	VD	no		no		
115	117	34		9	10	VD	no		no		
116	118	39		8	10	VD	no		no		
117	119	37		9	10	VD	no		no		
118	120	37		8	10	VD	no		no		
119	121	34		9	10	VD	no		no		
120	122	40		9	10	Vacuum poor maternal efforts	no		no		
121	123	42		8	10	VD	no		no		
122	124	33		9	10	VD	no		no		
123	125	35		9	10	VD	no		no		
124	126	39		8	10	VD	no		no		
125	127	38		9	10	VD	no		no		
126	128	39		8	10	VD	no		no		
127	129	40		8	10	VD	no		no		
128	130	39		8	10	VD	no		no		
129	131	39		8	10	VD	no		no		
130	132	37		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
131	133	39		9	9	VD	no		no		
132	134	37		9	10	VD	no		no		
133	135	38		8	9	VD	no		yes premature	No	
134	136	38		8	10	VD	no		no		
135	137	43		7	10	VD	yes	3	Yes. Risk for sepsis 3days	No	Mild BA
136	138	40		6	10	VD	yes	4	Yes	No	Mild BA
137	139	34		9	10	VD	no		no		
138	140	40		8	10	VD	no		no		
139	141	37		8	10	VD	no		no		
140	142	37		9	10	VD	no		no		
141	143	34		9	10	VD	no		no		
142	144	34		9	10	VD	no		no		
143	145	37		9	10	VD	no		no		
144	146	39		8	10	VD	no		no		
145	147	41		9	10	VD	no		no		
146	148	39		8	10	VD	no		no		
147	149	40		8	10	VD	no		no		
148	150	36		9	10	VD	no		no		
149	151	36		9	10	VD	no		no		
150	152	34		9	10	VD	no		no		
151	153	36		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
152	154	43		9	10	VD	no		no		
153	155	36		9	10	VD	no		no		
154	156	39		8	10	VD	no		no		
155	157	33		9	10	VD	no		no		
156	158	39		8	10	VD	no		no		
157	159	37		9	10	VD	no		no		
158	160	39		8	10	VD	no		no		
159	161	39		8	10	VD	no		no		
160	162	28		9	10	VD	no		no		
161	163	40		8	10	VD	no		no		
162	164	34		9	10	VD	no		no		
163	165	35	CPD VD not possible	9	10	CS	no		no		
164	166	39		8	10	VD	no		no		
165	167	38		8	10	VD	no		no		
166	168	39		9	10	VD	no		no		
167	169	37		9	10	VD	no		no		
168	170	39		9	10	VD	no		no		
169	171	38		8	10	VD	no		no		
170	172	38		8	10	VD	no		no		
171	173	32		9	10	VD	no		no		
172	174	39		8	10	VD	no		no		
173	175	34		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
174	176	39		8	10	VD	no		no		
175	177	42		9	10	VD	no		no		
176	178	39		8	10	VD	no		no		
177	180	35		5	10	VD	Yes	5mins	yes, birth asphyxia 5days	No	Mild BA
178	181	38	Pre-eclampsia	5	8	VD	yes	5	Yes. Mild asphyxia 14days	No	Mild BA
179	182	28		9	10	VD	no		no		
180	183	39		8	10	VD	no		no		
181	184	39		8	10	VD	no		no		
182	185	42		8	10	VD	no		no		
183	186	35		8	10	VD	no		no		
184	187	43		9	10	VD	no		no		
185	188	39		9	10	VD	no		no		
186	189	32		9	10	VD	no		no		
187	190	24	Prolonged 2 nd stage of labor, poor maternal efforts to push	7	8	VD	yes	7mins	yes, birth asphyxia 6days	No	Mild BA
188	191	37		9	10	VD	no		no		
189	192	39		9	10	VD	no		no		
190	193	39		8	10	VD	no		no		
191	194	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
192	195	39		8	10	VD	no		no		
193	196	38		9	10	VD	no		no		
194	198	35		9	10	VD	no		no		
195	199	39		8	10	VD	no		no		
196	200	38		9	10	VD	no		no		
197	201	13	Malaria in pregnancy	8	10	CS, low lying placenta	no		no		
198	202	39		9	10	VD	no		no		
199	203	33		9	10	VD	no		no		
200	204	32		9	10	VD	no		no		
201	205	39		8	10	VD	no		no		
202	206	32		8	10	VD	no		no		
203	207	42		8	10	VD	no		no		
204	208	39		8	10	VD	no		no		
205	209	33		8	10	VD	no		no		
206	210	38		8	10	VD	no		no		
207	211	39		8	10	VD	no		no		
208	212	36		9	10	VD	no		no		
209	213	33		9	10	VD	no		no		
210	214	38		8	10	VD	no		no		
211	215	32		9	10	VD	no		no		
212	216	31		9	10	VD	no		no		
213	217	35		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
214	218	39		8	10	VD	no		no		
215	219	31		8	10	VD	no		no		
216	220	32		8	10	VD	no		no		
217	221	43		8	10	VD	no		no		
218	222	38		8	10	VD	no		no		
219	223	41		8	10	VD	no		no		
220	224	43		9	10	VD	no		no		
221	225	40		8	10	VD	no		no		
222	226	39		9	10	VD	no		no		
223	227	41		8	10	VD	no		no		
224	228	37		8	10	VD	no		no		
225	229	37		8	10	VD	no		no		
226	230	39		8	10	VD	no		no		
227	231	37		9	10	VD	no		no		
228	232	33		8	10	VD	no		no		
229	234	37		9	10	VD	no		no		
230	235	39		8	10	VD	no		no		
231	236	32	Aged 16	9	10	Vacuum delivery Poor effort	no		Yes. Early onset sepsis, Omphalitis	No	
232	238	38		8	10	VD	no		no		
233	239	38		8	10	VD	no		no		
234	240	40		8	10	VD	no		no		
235	241	41		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
236	242	32		9	10	VD	no		no		
237	244	36		8	10	VD	no		no		
238	245	2	Aged 16 Preterm 2.3kg	6	10	CS, placental abruption, Preterm	Yes	2 mins	Yes mild birth asphyxia 22days	No	Mild BA
239	246	38		8	10	VD	no		no		
240	248	38		9	10	VD	no		no		
241	249	40		9	10	VD	no		no		
242	251	28		9	10	VD	no		no		
243	252	39		8	10	VD	no		no		
244	253	41		9	10	VD	no		no		
245	254	37		8	10	VD	no		no		
246	255	30		9	10	VD	no		no		
247	257	37		8	10	VD	no		no		
248	258	43		9	10	VD	no		no		
249	259	38		8	10	VD	no		no		
250	260	2		8	10	CS - CPD	no		no		
251	261	26		9	10	VD	no		no		
252	262	1		8	10	CS – CPD, prev CS	yes	3	yes, sepsis 7days	No	Mild BA
253	263	39		8	10	VD	no		no		
254	265	33		9	10	VD	no		no		
255	266	36		9	10	VD	no		no		
256	267	28		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
257	268	33		8	10	VD	no		no		
258	269	40		9	10	VD	no		no		
259	270	38		8	10	VD	no		no		
260	271	2		5	10	CS-APH abruption, prev CS x1	Yes	5mins	Yes. Severe Birth asphyxia 6days	No	Mild BA
261	272	39		7	10	VD	no		no		
262	273	35		9	10	VD	no		no		
263	274	32		9	10	VD	no		no		
264	275	39		8	10	Vacuum poor effort	no		no		
265	276	1		9	10	CS – prev CS	no		no		
266	277	39		8	10	VD	no		no		
267	278	39		8	10	VD	No		No		
268	279	3		6	10	CS – prev CSx2	yes	2	Mild birth asphyxia 5days		Mild BA
269	280	38		8	10	VD	no		no		
270	281	43		9	10	VD	no		no		
271	282	31		9	10	VD	no		no		
272	284	40		9	10	VD	no		no		
273	285	32		9	10	VD	no		no		
274	286	38		8	10	VD	no		no		
275	287	39		8	10	VD	no		no		
276	288	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
277	289	37		8	10	VD	no		no		
278	290	31		9	10	VD	no		no		
279	291	36		8	10	VD	no		no		
280	292	32		9	10	VD	no		no		
281	293	1	Twins	8 & 9	10 & 10	CS -elective	No		No		
282	294	3		8	10	CS, prev CS x2	No		No		
283	295	33		9	10	VD	no		No		
284	296	35		9	10	VD	no				
285	297	1		8	10	CS -elective	No		No		
286	298	30		8	10	VD	No		No		
287	299	37		8	10	VD	no	no	no		
288	300	29		8	10	VD	no	no	no		
289	301	37		8	10	VD	no	no	no		
290	302	38		9	10	VD	no	no	no		
291	303	39		6	8	VD	yes	3	sepsis risk	No	Mild BA
292	307	1		5	7	Vacuum (fetal macrosomia) poor effort	yes	5	birth asphyxia 6days	No	BA
293	310	34		9	10	VD	no		no		
294	311	35		9	10	VD	no		no		
295	312	35		9	10	VD	no		no		
296	313	40		8	10	VD	no		no		
297	314	35		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
298	315	41		8	10	VD	no		no		
299	316	3		8	10	CS, severe pre eclampsia	no		no		
300	317	13		8	10	CS, large fetus	no		no		
301	318	40		8	10	VD	no		no		
302	319	41		8	10	VD	no		no		
303	320	32		9	10	VD	no		no		
304	321	43		9	10	VD	no		no		
305	322	39		8	10	VD	no		no		
306	323	39		8	9	VD	no		no		
307	324	38		8	10	VD	no		no		
308	325	33		9	10	VD	no		no		
309	326	42		8	10	VD	no		no		
310	327	38		8	10	VD	no		no		
311	328	39		8	10	VD	no		no		
312	329	31		9	10	VD	no		no		
313	330	38		8	10	VD	no		no		
314	331	41		8	10	VD	no		no		
315	332	31		8	10	VD	no		no		
316	333	35		8	10	VD	no		no		
317	334	40		8	10	VD	no		no		
318	335	40		8	10	VD	no		no		
319	336	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
320	337	1		9	10	Elective CS, prev CS x2	no		no		
321	338	37		9	10	VD	no		no		
322	339	36		9	10	VD	no		no		
323	340	37		8	10	VD	no		no		
324	341	39		8	10	VD	no		no		
325	342	42 120		8	10	CS Delay 2 nd st Large fetus CPD	no		no		
326	343	40		8	10	VD	no		no		
327	344	1		9	10	CS, elective	no		no		
328	345	1		9, 8	10, 10	CS, CPD, twins	no		no		
329	346	1		9	10	CS, elective	no		no		
330	347	32		7	10	VD	yes	2	yes	No	Mild BA
331	348	3		9	10	CS, prolonged labour, CPD	no		Yes. Congenital malaria, neonatal sepsis mother has malaria 5days		
332	349	38		8	10	VD	no		no		
333	350	1		5	7	CS, CPD	yes	5mins	Yes. Birth asphyxia 9days	No	BA
334	353	38		8	10	VD	no		no		
335	354	30		8	10	VD	no		no		
336	355	38		8	10	VD	no		no		
337	356	38		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
338	357	1		9	10	CS, Previous CS x 1 CPD	no		no		
339	358	38		8	10	VD	no		no		
340	359	37		9	10	VD	no		no		
341	360	31		9	10	VD	no		no		
342	361	38		8	10	VD	no		no		
343	362	38		8	10	VD	no		no		
344	363	36		8	10	VD	no		no		
345	364	38		8	10	VD	no		no		
346	365	40		9	10	VD	no		no		
347	366	11		9	10	CS, elective	no		no		
348	367	39		8	10	VD	no		no		
349	368	38		8	10	VD	no		no		
350	369	32		9	10	VD	no		no		
351	370	2		8	10	CS, CPD	no		no		
352	371	28		8	10	VD	no		no		
353	373	35		9	10	VD	no		no		
354	374	38		8	10	VD	no		no		
355	375	38		8	10	VD	no		no		
356	376	29		9	10	VD	no		no		
357	377	37		9	10	VD	no		no		
358	378	37		8	10	VD	no		no		
359	379	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
360	380	29		9	10	VD	no		no		
361	381	43		9	10	VD	no		no		
362	382	38		8	10	VD	no		no		
363	384	40		8	10	VD	no		no		
364	385	1		8	10	CS Elective	no		no		
365	387	1		6	8	VD	yes	2	Yes. Birth asphyxia 5days		Mild BA
366	388	2 normal 126 and 128		7	10	CS-prev CS x 2 Fetal distress, poor maternal efforts to push	Yes	5min	Yes. Birth asphyxia 7days	No	Mild BA
367	390	1		8	10	CS, 2 prev CS Elective	no		no		
368	391	1		5,5	8,9	CS, elective 34 wk eclampsia twins	Yes Which one	3	yes, risk of sepsis	No	Mild BA Mild BA
369	392	34		7	10	VD	yes	1	yes	No	Mild BA
370	393	38		6	8	VD	yes	3	yes, birth asphyxia	No	Mild BA
371	394	41		9	10	VD	no		no		
372	395	39		8	10	VD	no		no		
373	396	39		8	10	VD	no		no		
374	397	38		8	10	VD	no		no		
375	398	1		8	10	CS, prolonged labour	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
376	399	41		9	10	VD	no		no		
377	400	1		7,8	8,9	CS Prol lab twins	no		no		
378	402	35		9	10	VD	no		no		
379	403	1		9,8	10,10	CS – malpresentation, multiple gestation	no		no		
380	405	33		9	10	VD	no		no		
381	406	1		8	10	CS – prev CS x1, short interval	no		no		
382	407	38		8	10	VD	no		no		
383	408	31		9	10	VD	no				
384	409	1	Twin	10,9	10,10	CS, prev CS, short interval	No		No		
385	410	37		8	10	VD	no		no		
386	412	41		9	10	VD	no		no		
387	413	37		9	10	VD	no		no		
388	414	41		9	10	VD	no		no		
389	415	39		8	10	VD	no		no		
390	416	37		8	10	VD	no		no		
391	417	36		9	10	VD	no		no		
392	418	1		8	10	CS, obstructed labour	no		no		
393	419	1		8	10	CS, previous CS x2	no		no		
394	420	30		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
395	421	39		8	10	VD	no		no		
396	422	1		8	10	CS CPD	no		no		
397	423	37		9	10	VD	no		no		
398	424	36		9	10	VD	no		no		
399	425	38		8	10	VD	no		no		
400	426	38		8	10	VD	no		no		
401	427	37		8	10	VD	no		no		
402	429	1		9	10	CS Obs lab	no		no		
403	430	1 (120)	Twin	8, 8	10,10	CS Prol 2 nd stage	no		no		
404	431	37		8	10	VD	no		no		
405	432	38		9	10	VD	no		no		
406	433	37		8	10	VD	no		no		
407	434	37		8	10	VD	no		no		
408	435	39		9	10	VD	no		no		
409	436	38		8	10	VD	no		no		
410	437	1		8	10	CS, CPD	no		no		
411	438	38		8	10	VD	no		no		
412	439	38		8	10	VD	no		no		
413	440	38		9	10	VD	no		no		
414	441	32		9	10	VD	no		no		
415	442	38		8	10	VD	no		no		
416	443	38	Prolonged labor, UTI, PROM	4	7	VD	yes	4	yes, birth asphyxia, 27days	No	BA

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
417	444	30		3	8	Vacuum Poor maternal effort	yes	10	yes, severe birth asphyxia 5days	No	Mild BA
418	445	1		6	8	CS eclampsia Cord prolapse	yes	3	Yes. Birth asphyxia 6days	No	Mild BA
419	448	32		9	10	VD	no		no		
420	449	37		9	10	VD	no		no		
421	450	39		8	10	VD	no		no		
422	451	1		8	10	CS, CPD	no		no		
423	452	39		8	10	VD	no		no		
424	453	1		9	10	CS, 2 prev CS	no		no		
425	454	33		9	10	VD	no		no		
426	455	1		8	10	CS, CPD	no		no		
427	456	40		8	10	VD	no		no		
428	457	33		9	10	VD	no		no		
429	458	32		9	10	VD	no		no		
430	459	1	placental abruption	8	10	CS, placental abruption APH	no		no		
431	460	38		8	10	VD	no		no		
432	461	38		8	10	VD	no		no		
433	462	2		9	10	CS, CPD	no		no		
434	463	30		9	10	VD	no		no		
435	464	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
436	465	1		9	10	Elective CS, fetal macrosomia	no		no		
437	466	1		8	10	CS, CPD	no		no		
438	467	1	APH, Placenta previa	5	10	CS, APH, Placenta previa Previous CS x 1	yes	3	Yes	No	Mild BA
439	468	39		5	9	VD	yes	2	yes, mild birth asphyxia, 6days	No	Mild BA
440	469	1	prev CS, short interval	9	10	CS	no		no		
441	470	32		9	10	VD	no		no		
442	471	31		9	10	VD	no		no		
443	472	1		9	10	CS - elective	no		no		
444	473	6	Twins	8,8	10	Vacuum poor effort	no		no		
445	474	2 (120)		8	10	CS Previous cs x1 Malpresentation, Breech	no		no		
446	475	38		8	10	VD	no		no		
447	476	31		9	10	VD	no		no		
448	477	38		8	10	VD	no		no		
449	478	34		8	10	VD	no		no		
450	479	23		9	10	VD	no		no		
451	480	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
452	481	1		9	10	CS, fetal macrosomia	no		no		
453	482	1		8	10	CS, CPD previous CS x2	no		no		
454	483	32		9	10	VD	no		no		
455	484	31		9	10	VD	no		no		
456	485	19		8	10	VD	no		no		
457	486	1		8	10	CS, prol Labour malpresentation, breech	no		no		
458	487	30		9	10	VD	no		no		
459	488	1		7	10	CS, elective	no		no		
460	489	1		8	10	CS, CPD	no		no		
461	490	2		9	10	CS, CPD prol labour	no		no		
462	491	1		9	10	CS-referral. prev CS x 1	no		no		
463	495	1		8	10	CS, prev CS x 1	no		no		
464	496	36		9	10	VD	no		no		
465	497	28		9	10	VD	no		no		
466	498	34		9	10	VD	no		no		
467	499	35		9	10	VD	no		no		
468	500	38		8	10	VD	no		no		
469	501	1		9	10	CS – elective	no		no		
470	502	28		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
471	503	33		9	10	VD	no		no		
472	505	31		9	10	VD	no		no		
473	506	1		8	10	CS,CPD	no		no		
474	507	39		8	10	VD	no		no		
475	508	1		8	10	CS, CPD, 2 prev CS	no		no		
476	510	28		9	10	VD	no		no		
477	511	37		9	10	VD	no		no		
478	512	35		9	10	VD	no		no		
479	513	34		9	10	VD	no		no		
480	514	38		8	10	VD	no		no		
481	515	35		8,9	10,10	VD	no		no		
482	516	1		9	10	CS, prev CS x 4	no		no		
483	519	1		9	10	CS, prolonged labour, CPD	no		no		
484	520	39		8	10	VD	no		no		
485	521	1		8	10	CS, CPD weak contractions	no		no		
486	522	39		8	10	VD	no		no		
487	523	38		8	10	VD	no		no		
488	524	37		8	10	VD	no		no		
489	525	32		9	10	VD	no		no		
490	526	33		8	10	VD	no		no		
491	527	38		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
492	528	39		8	10	VD	no		no		
493	529	34		9	10	VD	no		no		
494	530	3		9	10	CS, CPD	no		no		
495	531	32		9	10	VD	no		no		
496	532	39		8,9	10,10	VD	no		no		
497	533	38		8	10	VD	no		no		
498	534	34		9	10	VD	no		no		
499	535	31		9	10	VD	no		no		
500	536	33		9	10	VD	no		no		
501	537	1		9	10	CS, elective	no		no		
502	538	1		8	10	CS strong contractions prev CS x1	no		no		
503	539	1		8	10	CS, CPD	no		no		
504	540	28		9	10	VD	no		no		
505	541	33		9	10	VD	no		no		
506	542	36		9	10	VD	no		no		
507	543	1		8	10	CS, CPD	no		no		
508	544	39		8	10	VD	no		no		
509	545	34		8	10	VD	No		No		
510	546	40		8	10	VD	no		no		
511	548	1		8	10	CS, prev CS x 3	no		no		
512	549	1		8	10	CS, prev CS x2	no		no		
513	550	38		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
514	551	32		8	10	VD	no		no		
515	552	0 consent only		9	10	CS-elective previous X 3	No		No		
516	553	35		7	9	Vacuum poor effort	no		no		
517	554	38		8	10	VD	no		no		
518	555	1		7,10	10,10	CS, malpresentation and twins	no		no		
519	556	29		9	10	VD	no		no		
520	557	35		8	10	VD	no		no		
521	558	38		8	10	VD	no		no		
522	559	34		9	10	VD	no		no		
523	560	34		9	10	VD	no		no		
524	561	39		8	10	VD	no		no		
525	562	36		9	10	VD	no		no		
526	563	32		9	10	VD	no		no		
527	565	36		9	10	VD	no		no		
528	566	4		9	10	CS – CPD	no		no		
529	567	1		8	10	CS – prev CS x2	no		no		
530	568	33		9	10	VD	no		no		
531	573	32	Poor maternal efforts to push	3	10	VD	yes	10	Yes. Birth asphyxia. 6days		Mild BA
532	574	31		4	8	VD	yes	5	Yes	No	Mild BA

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
533	575	36		8	10	VD	yes, B+M	5	yes, baby born depressed. Bith asphyxia 5days	No	Mild BA
534	576	40		8	10	VD	no		no		
535	577	26		9	10	VD	no		no		
536	578	39		8	10	VD	no		no		
537	580	32		9	10	VD	no		no		
538	581	39		9	10	VD	no		no		
539	582	28		9	10	VD	no		no		
540	583	28		9	10	VD	no		no		
541	584	27		7	10	VD	yes	3	Yes. Asphyxia 6days	No	Mild BA
542	585	30		9	10	VD	no		no		
543	586	33		9	10	VD	no		no		
544	587	30		9	10	VD	no		no		
545	588	39		8	10	VD	no		no		
546	589	24		9	10	VD	no		no		
547	590	42		8	10	VD	no		no		
548	591	38		8	10	VD	no		no		
549	592	2		9	10	CS – previous CS x 1	no		no		
550	593	39		8	10	VD	no		no		
551	594	39		8	10	VD	no		no		
552	595	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
553	597	18		9	10	VD	no		no		
554	598	39		8	10	VD	no		no		
555	599	34		9	10	VD	no		no		
556	600	27		9	10	VD	no		no		
557	601	1		9	10	CS, prev CS x 1, CPD, elective CS	no		no		
558	602	2		9	10	CS, referral due to previous CS x1 and CPD	no		no		
559	603	32		9	10	VD	no		no		
560	604	34		9	10	VD	no		no		
561	605	32		8	10	VD	no		no		
562	606	31		9	10	VD	no		no		
563	607	13		9	10	VD	no		no		
564	608	31		9	10	VD	no		no		
565	609	25		8	10	VD	no		no		
566	610	1		9	10	CS- referral, em CS - CPD	no		no		
567	611	1		7	10	CS – CPD	no		no		
568	612	1		8	10	CS – Prev CS x2 weak contractions	no		no		
569	613	29		9	10	VD	no		no		
570	614	39		8	10	VD	no		no		
571	615	39		8	10	VD	no		no		
572	616	30		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
573	617	31		9	10	VD	no		no		
574	618	34		8	10	VD	no		no		
575	619	35		8	10	VD	no		no		
576	621	22		9	10	VD	no		no		
577	622	39		8	10	VD	no		no		
578	623	1		9	10	CS – emergency CPD	no		no		
579	624	1		9	10	CS – elective	no		no		
580	625	1		8	10	CS – CPD	no		no		
581	626	34		9	10	VD	no		no		
582	627	22		9	10	VD	no		no		
583	628	1		9	10	CS –	no		no		
584	629	30		9	10	VD	no		no		
585	631	28		7	10	VD	yes	3	Yes. Sepsis 5days	No	Mild BA
586	632	38		6	9	VD	yes	2	Mild birth asphyxia Treated with Ampicillin, gentamycin, D10, Vit-K. discharge alive after 6days	No	Mild BA
587	633	1		8	10	CS – prolonged labour,	no		no		
588	635	1		8	10	CS – prolonged labour	no		no		
589	636	39		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
590	638	37		8	10	Vacuum	no		no		
591	639	15		8	10	VD	yes	2	no		Mild BA
592	640	31		9	10	VD	no		no		
593	641	38		8	10	VD	no		no		
594	642	3	eclampsia	9	10	CS eclampsia	no		no		
595	643	25		9	10	VD	no		no		
596	644	21		9	10	VD	no		no		
597	645	33		9	10	VD	no		no		
598	646	3		8	10	CS - CPD	no		no		
599	647	39		8	10	VD	no		no		
600	648	32		9	10	VD	no		no		
601	649	39		8	10	VD	no		no		
602	650	22		9	10	VD	no		no		
603	651	1		9	10	CS – prev CS x2	no		no		
604	652	37		8	10	VD	no		no		
605	653	40		8	10	VD	no		no		
606	654	39		8	10	VD	no		no		
607	655	26		9	10	VD	no		no		
608	656	1		8	10	CS – placental abruption	no		no		
609	657	39		8	10	Vacuum (fetal macrosomia) Unable to push	no		no		
610	658	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
611	659	33		9	10	VD	no		no		
612	660	39		8	10	VD	no		no		
613	661	31		9	10	VD	no		no		
614	662	1		8	10	CS – prev CS x2	no		no		
615	663	13		8	10	VD	no		no		
616	664	39		8	10	VD	no		no		
617	665	28		9	10	VD	no		no		
618	666	21		8	10	VD	no		no		
619	667	39		8	10	VD	no		no		
620	668	27		9	10	VD	no		no		
621	669	0		8	10	VD	no		no		
622	670	32		9	10	VD	no		no		
623	672	32		9	10	VD	no		no		
624	673	37		8	10	VD	no		no		
625	674	26		9	10	VD	no		no		
626	675	39		8	10	VD	no		no		
627	676	27		9	10	VD	no		no		
628	677	33		9	10	VD	no		no		
629	678	32		8	10	VD	no		no		
630	679	39		8	10	VD	no		no		
631	680	38		8	10	VD	no		no		
632	682	35		9	10	VD	no		no		
633	683	32		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
634	684	28		9	10	VD	no		no		
635	685	1		9	10	CS - CPD	no		no		
636	686	24		8	10	VD	no		no		
637	687	31		9	10	VD	no		no		
638	688	1		8	10	CS – APH, complete placenta previa	no		no		
639	689	25		9	10	VD	no		no		
640	690	24		9	10	VD	no		no		
641	691	38		8	10	VD	no		no		
642	692	1		8	10	CS – prolonged labour	no		no		
643	693	35		9	10	VD	no		no		
644	694	25		4	7	VD	yes	5	yes, preterm	No	BA
645	695	36		8	10	Vacuum Large fetus	no		yes, sepsis risk	No	
646	696	35	Age 16	6	9	VD	yes	10	Yes	No	Mild BA
647	697	1		9	10	CS – elective/ maternal request	no		yes, malaria in pregnancy	No	
648	698	27		8	10	VD	no		yes, preterm, sepsis. 10days		
649	699	40		8	10	VD	no		no		
650	700	1		9	10	CS – prolonged labour, CPD	no		no		
651	701	18		9	10	VD	no		no		
652	702	40		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
653	703	13		9	10	VD	no		no		
654	704	39		8	10	VD	no		no		
655	705	1		8	10	CS - CPD	no		no		
656	706	26		9	10	VD	no		no		
657	707	1		9	10	CS – elective	no		no		
658	708	1		8	10	CS – CPD	no		no		
659	709	1		8	10	CS - elective	no		no		
660	710	31		9	10	VD	no		no		
661	711	18		9	10	VD	no		no		
662	712	39		8	10	VD	no		no		
663	713	32		9	10	VD	no		no		
664	714	39		8	10	VD	no		no		
665	715	4		8	10	CS – Prolonged labour, CPD	Yes	3 min	no		Mild BA
666	716	1		9	10	CS - elective	no		no		
667	717	32		10	10	VD	no		no		
668	718	39		8	10	CS – elective	no		no		
669	719	19		9	10	VD	no		no		
670	720	38		8	10	VD	no		no		
671	721	1		9	10	CS - elective	no		no		
672	722	39		8	10	VD	no		no		
673	723	39		8	10	VD	no		no		
674	724	22		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
675	725	1		8	10	CS – prev CSx2	no		no		
676	726	40		8	10	VD	no		no		
677	727	18		9	10	VD	no		no		
678	728	40		8	10	VD	no		no		
679	729	4		7	10	CS – prev CS x1, CPD	no		no		
680	730	1		9	10	CS – placenta previa	no		no		
681	731	23		7,6	10,10	VD	no		no		
682	732	1		8	10	CS - CPD	no		no		
683	733	7		9	10	VD	no		no		
684	734	20		8	10	VD	no		no		
685	735	33		9	10	VD	no		no		
686	736	34		9	10	VD	no		no		
687	737	18		9	10	VD	no		no		
688	738	1		8	10	CS Prol lab Breech	no		no		
689	739	1		9	10	CS – elective	no		no		
690	740	36		8	10	VD	no		no		
691	741	39		8	10	VD	no		no		
692	742	1		8	10	CS – prev CS x2	no		no		
693	743	32		8	10	VD	Yes	2 min	Yes	No	Mild BA
694	744	1		5	8	CS – arrest of descent, CPD	yes	10	Yes. Birth asphyxia 5days	No	Mild BA

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
695	745	26		6	10	VD	yes	5	yes	No	Mild BA
696	748	34		9	10	VD	no		no		
697	749	38		9	10	VD	no		no		
698	750	22		9	10	VD	no		no		
699	751	53		8	10	VD	no		no		
700	752	36		9	10	VD	no		no		
701	753	56		9	10	VD	no		no		
702	754	54		8	10	VD	no		no		
703	755	35		9	10	VD	no		no		
704	756	54		8	10	VD	no		no		
705	757	50		9	10	VD	no		no		
706	758	43		9	10	VD	no		no		
707	759	56		8	10	VD	no		no		
708	760	30		9	10	VD	no		no		
709	761	38		7	10	VD	no		no		
710	762	32		9	10	VD	no		no		
711	763	2		9	10	CS - CPD	no		no		
712	764	53		8	10	VD	no		no		
713	765	56		7,8	10,10	Vacuum (breech presentation 2nd twin)	no		no		
714	766	51		8	10	VD	no		no		
715	767	54		9	10	VD	no		no		
716	768	55		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
717	769	32		9	10	VD	no		no		
718	770	32		9	10	VD	no		no		
719	771	54		9	10	VD	no		no		
720	772	31		9	10	VD	no		no		
721	773	54		missing data	10	VD	no		no		
722	774	33		9	10	VD	no		no		
723	775	35		9	10	VD	no		no		
724	776	32		9	10	VD	no		no		
725	777	54		8	10	VD	no		no		
726	778	31		9	10	VD	no		no		
727	779	57		9	10	VD	no		no		
728	780	34		8	10	VD	no		no		
729	781	31		9	10	VD	no		no		
730	782	54		9	10	VD	no		no		
731	783	46		8	10	CS – prev CS x1, CPD 4.2 Kg	no				
732	784	53		9	10	VD	No				
733	786	39		7	10	VD	no		yes, risk of newborn sepsis 7days	No	
734	787	32		7	10	VD	yes	2	Yes. Mild birth asphyxia 5days	No	Against Medical Advice. 5days Mild BA

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
735	788	33		8	10	VD	no		yes, baby premature 28days	No	no
736	789	34		9	10	VD	yes	10	Yes		Mild BA
737	790	33		9	10	VD	no		Yes	No	No
738	791	55		8	10	VD	no		Yes	No	No
739	792	12		9	10	VD	no		Yes	No	No
740	793	16		9	10	VD	no		no		
741	794	46		9	10	CS – prolonged labour, CPD	no		Yes sepsis? 5days	No	No
742	795	52		9	10	VD	no		no		
743	796	1		9	10	VD	no		no		
744	797	46		8	10	VD	no		no		
745	798	51		9	10	VD	no		no		
746	799	49		9	10	CS Placenta praevia APH	no		no		
747	800	51		8	10	VD	no		no		
748	801	51		9	10	VD	no		no		
749	802	33		9	10	CS – prolonged labour, CPD	no		no		
750	803	1		9	10	CS - elective	no		no		
751	804	1	eclampsia	9		CS	no		no		
752	805	1		8	10	CS – CPD, prolonged labour	no		yes, early sepsis		
753	807	51		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
754	808	51		9	10	VD	no		no		
755	809	55		9	10	VD	no		no		
756	810	53		9	10	VD	no		no		
757	811	4	? fetal distress MW took over	6	8	CS – face presentation,	yes	3	Yes 6days	No	Mild BA
758	812	2		8	10	CS – prev CS x4, CPD 2.1Kg	no		no		
759	813	51		9	10	VD	no		no		
760	814	49		9	10	VD	no		no		
761	815	1		5	8	CS – fetal macrosomia Bwt 3.8kg	yes	4	Yes Birth asphyxia. 6days	No	Mild BA
762	816	29		8	10	VD	no		no		
763	817	23		9	10	VD	no		no		
764	818	28		9	10	VD	no		yes, prematurity	No	No
765	819	51		9	10	VD	no		no		
766	820	52		9	10	VD	no		no		
767	821	51		8	10	VD	no		no		
768	823	51		9	10	CS Placenta praevia APH	no		no		
769	824	28		9	10	VD	no		no		
770	825	26		9	10	VD	no		no		
771	826	42		9	10	VD	no		no		
772	827	35		8	9	VD	no		no		
773	828	2		9	10	CS - CPD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
774	829	28		8	10	VD	no		no		
775	830	23		9	10	VD	no		no		
776	831	51		9	10	VD	no		no		
777	832	55		8	10	VD	no		no		
778	833	1		9	10	CS – prev CS x1, prolonged labour/CPD	no		no		
779	834	51		8	10	VD	no		no		
780	835	55		8	10	VD	no		no		
781	836	31		7	10	CS prol lab	no		no		
782	837	1		9	10	CS	no		no		
783	839	1	Placental abruption	9	10	CS	no		no		
784	840	29		8	10	VD	no		no		
785	841	30		9	10	CS – CPD	no		no		
786	842	16		9	10	CS – prev CS x2	no		no		
787	843	17		9	10	VD	no		no		
788	844	16		9	10	VD	no		no		
789	845	12		9	10	VD	no		no		
790	846	52		7	10	VD	no		no		
791	847	15		9	10	VD	no		no		
792	848	29		9	10	VD	no		no		
793	849	27		8	9	VD	no		no		
794	850	6		9	10	CS	no		no		
795	851	15		9	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
796	852	24		9	10	VD	no		no		
797	853	50		8	10	VD	no		no		
798	854	43		6	10	CS – fetal distress, prev CS x1	yes	3	yes, early onset sepsis	No	Mild BA
799	855	46		9	10	VD	no		no		
800	856	15		9	10	VD	no		no		
801	858	31		9	10	VD	no		no		
802	859	31		9	10	VD	No		No		
803	860	32		9	10	VD	no		no		
804	861	29		9	10	VD	no		no		
805	862	19		9, 9	10,10	VD	no		no		
806	863	31		9	10	VD	no		no		
807	864	37		9	10	VD	no		no		
808	865	44		7	10	VD	no		no		
809	866	49		7	9	CS, suspected macrosomia, PROM 2.9Kg	yes	2	yes, sepsis risk 5days	No	Mild BA
810	867	52		9	10	VD	no		no		
811	868	50		8	10	VD	no		no		
812	869	38		9	10	VD	no		no		
813	870	27		9	10	VD	no		no		
814	872	50		8	10	VD	no		no		
815	873	51		8	10	VD	no		no		
816	874	51		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
817	875	51		9	10	VD	no		no		
818	876	5	pre-eclampsia	7	10	CS, 2.1Kg	no		Yes	No	No
819	877	32		9	10	VD	no		no		
820	878	40		8	10	VD	no		no		
821	879	44		9	10	VD	no		no		
822	880	25		9	10	VD	no		no		
823	881	51		9	10	VD	no		no		
824	882	34		9	10	VD	no		no		
825	883	51		8	10	VD	no		no		
826	884	31		9	10	VD	no		no		
827	885	12		8	10	VD	no				
828	886	29		9	10	VD	no				
829	887	20		9	10	VD	no		no		
830	888	52		8	10	VD	no		no		
831	889	32		9	10	VD	no		no		
832	890	51		9	10	VD	no		no		
833	891	33		9	10	VD	no		no		
834	892	28		8	10	VD	no		no		
835	893	28		9	10	VD	no		no		
836	894	50		9	10	VD	no		no		
837	895	28		9	10	VD	no		no		
838	896	23		9	10	VD	no		no		
839	897	25		8	10	VD	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
840	898	32		9	10	VD	no		no		
841	899	18		9	10	VD	no		no		
842	900	19		9	10	VD	no		no		
843	901	20		9	10	VD	no		no		
844	902	21		9	10	VD	no		no		
845	903	20		9	10	VD	no		no		
846	904	16		9	10	VD	no		no		
847	905	60		9	10	VD	no		no		
848	906	16		9, 9	10, 10	VD	no		no		
849	907	47		9	10	VD	no		no		
850	908	15		8	10	VD	no		no		
851	909	58		8	10	VD	no		no		
852	910	59		8	10	VD	no		no		
853	911	13		9	10	VD	no		no		
854	912	34		9	10	VD	no		no		
855	913	31		9	10	VD	no		no		
856	914	18		8	10	VD	no		no		
857	915	54		9	10	VD	no		no		
858	916	32		9	10	VD	no		no		
859	917	15		9	10	VD	no		no		
860	918	26		8	10	VD	no		no		
861	919	26		8	10	VD	no		no		
862	920	1		9	10	CS, elective	no		no		

Report No	Pat no.	N cons monitored	obs disorder Yes/no If Yes Describe	Apgar 1 min	Apgar 5 min	mode of delivery and reason for type	Baby resus If Yes what form?	Duration resus (min)	NICU admit Yes/No If Yes why and for how long?	Any seizures or fits in NICU?	Birth asphyxia?
863	921	1		7	10	CS, elective previous CS x 4	yes	2	Yes 3days	No	Mild BA
864	922	1		9	10	CS, macrosomia 3.3Kg	no		no		
865	924	16		5	8	VD	yes	3	yes	No	Mild BA
866	925	40		6	8	VD	yes	4	Yes 5days	No	Mild BA
867	926	16		8	10	VD	no		no		
868	928	43		9	10	CS, prev CS x1, prolonged labour due to CPD	no		Yes Not birth asphyxia	No	
869	929	1		8	10	CS, CPD	no		no		
870	930	54		9	10	CS, prolonged labour	no		no		
871	931	1		8	10	CS, abruptio placenta	no		no		
872	932	2		8	10	CS, CPD 4.3Kg	no		no		